According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S6 A 46

Version 1.1	Revision Date: 11/02/2020		DS Number: 0010042389	Print Date: 04/29/2023 Date of last issue: 09/02/2020			
SECTION	1. IDENTIFICATION						
Produ	ict name	:	Shell Corena S6	A 46			
Produ	ict code	:	00115485				
Manu	Manufacturer or supplier's details						
Manu	facturer/Supplier	:	Shell Oil Product PO Box 4427 Houston TX 772 USA				
SDS Request Customer Service		:	(+1) 877-276-728	5			

Emergency telephone number

Spill Information	: 877-242-7400
Health Information	: 877-504-9351

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Based on available data this substance / mixture does not meet the classification criteria.

GHS label elements

Hazard pictograms	No Hazard Symbol required	
Signal word	: No signal word	
Hazard statements	 PHYSICAL HAZARDS: Not classified as a physical hazard under GHS criteri HEALTH HAZARDS: Not classified as a health hazard under GHS criteria. ENVIRONMENTAL HAZARDS: Not classified as an environmental hazard under GHS 	
Precautionary statements	Prevention:	
	No precautionary phrases.	
	No precautionary phrases. Response:	
	Response:	
	Response: No precautionary phrases.	
	Response: No precautionary phrases. Storage:	
	Response: No precautionary phrases. Storage: No precautionary phrases.	

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S6 A 46

Version	Revision Date:	SDS Number:	Print Date
1.1	11/02/2020	800010042389	Date of las

Print Date: 04/29/2023 Date of last issue: 09/02/2020

Other hazards which do not result in classification

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Used oil may contain harmful impurities.

Not classified as flammable but will burn.

The classification of this material is based on OSHA HCS 2012 criteria.

Under normal conditions of use or in a foreseeable emergency, this product does not meet the definition of a hazardous chemical when evaluated according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Blend of polyalkylene glycol and additives.

Hazardous components

Chemical name	Synonyms	CAS-No.	Concentration (% w/w)
Aryl amine	N-[(1,1,3,3- tetramethyl- bu- tyl)phenyl]naph thalen-1-amine	51772-35-1	1-3

SECTION 4. FIRST-AID MEASURES

If inhaled	:	No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact	:	Remove contaminated clothing. Flush exposed area with wa- ter and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.
In case of eye contact	:	Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, obtain medical attention.
If swallowed	:	In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.
Most important symptoms and effects, both acute and delayed	:	Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.
Protection of first-aiders	:	When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.
Indication of any immediate medical attention and special treatment needed	:	Treat symptomatically.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S6 A 46

Version	Revision Date:	SDS Number:	Print Date: 04/29/2023
1.1	11/02/2020	800010042389	Date of last issue: 09/02/2020

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon diox- ide, sand or earth may be used for small fires only.	
Unsuitable extinguishing media	:	Do not use water in a jet.	
Specific hazards during fire- fighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.	
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.	
Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Avoid contact with skin and eyes.
Environmental precautions	:	Use appropriate containment to avoid environmental contami- nation. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
		Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly.
Additional advice	:	For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet. For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet.

1.1

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Shell Corena S6 A 46

Version Revision Date: SDS Number: Print D

 Revision Date:
 SDS Number:
 Print Date: 04/29/2023

 11/02/2020
 800010042389
 Date of last issue: 09/02/2020

SECTION 7. HANDLING AND STORAGE

Technical measures	:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
Advice on safe handling	:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning mate- rials in order to prevent fires.
Avoidance of contact	:	Strong oxidising agents.
Further information on stor- age stability	:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers.
		Store at ambient temperature.
Packaging material	:	Suitable material: For containers or container linings, use mild steel or high density polyethylene. Unsuitable material: PVC.
Container Advice	:	Polyethylene containers should not be exposed to high tem- peratures because of possible risk of distortion.

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Components with workplace control parameters

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S6 A 46

Version 1.1	Revision Date: 11/02/2020	SDS Number: 800010042389	Print Date: 04/29/2023 Date of last issue: 09/02/2020			
http:/	http://www.dguv.de/inhalt/index.js		en Gesetzlichen Unfallversicherung (IFA) , Germany sp et de Securité, (INRS), France http://www.inrs.fr/accueil			
Engi	neering measures	vary depending controls based Appropriate me	otection and types of controls necessary will g upon potential exposure conditions. Select on a risk assessment of local circumstances. easures include: ilation to control airborne concentrations.			
			l is heated, sprayed or mist formed, there is al for airborne concentrations to be generated.			
		controls. Educate and tr measures relev product. Ensure approp equipment use equipment, loc Drain down sys nance. Retain drain do subsequent rea Always observ washing hands drinking, and/o protective equi	ures for safe handling and maintenance of ain workers in the hazards and control vant to normal activities associated with this riate selection, testing and maintenance of d to control exposure, e.g. personal protective al exhaust ventilation. stem prior to equipment break-in or mainte- owns in sealed storage pending disposal or cycle. e good personal hygiene measures, such as a after handling the material and before eating, r smoking. Routinely wash work clothing and pment to remove contaminants. Discard con- ning and footwear that cannot be cleaned.			
Pers	onal protective equip	ment				
	iratory protection	: No respiratory conditions of u In accordance tions should be If engineering of tions to a level select respirato cific conditions Check with res Where air-filter priate combina Select a filter s	with good industrial hygiene practices, precau- e taken to avoid breathing of material. controls do not maintain airborne concentra- which is adequate to protect worker health, ory protection equipment suitable for the spe- of use and meeting relevant legislation. piratory protective equipment suppliers. ing respirators are suitable, select an appro- tion of mask and filter. uitable for the combination of organic gases and particles [Type A/Type P boiling point			
	l protection emarks		ontact with the product may occur the use of ed to relevant standards (e.g. Europe: EN374,			

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S6 A 46

rsion	Revision Date: 11/02/2020	-	DS Number: 0010042389	Print Date: 04/29/2023 Date of last issue: 09/02/2020
			US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rub gloves Suitability and durability of a glove is dependent or usage, e.g. frequency and duration of contact, chemical r sistance of glove material, dexterity. Always seek advice glove suppliers. Contaminated gloves should be replaced Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. A cation of a non-perfumed moisturizer is recommended. For continuous contact we recommend gloves with break through time of more than 240 minutes with preference for 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same bu recognize that suitable gloves offering this level of protect may not be available and in this case a lower breakthroug time maybe acceptable so long as appropriate maintenar and replacement regimes are followed. Glove thickness is a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material Glove thickness should be typically greater than 0.35 mm depending on the glove make and model.	
Eye p	protection	:		lled such that it could be splashed into eyes, ar is recommended.
Skin a	and body protection	:	work clothes.	not ordinarily required beyond standard to wear chemical resistant gloves.
Prote	ctive measures	:		ve equipment (PPE) should meet recom- standards. Check with PPE suppliers.
Therr	mal hazards	:	Not applicable	
Envir	ronmental exposure c	ontro	ols	
Core			Taka appropriate	managements to fulfill the requirements of role

General advice : Take appropriate measures to fulfill the requirements of relevant environmental protection legislation. Avoid contamination of the environment by following advice given in Section 6. If necessary, prevent undissolved material from being discharged to waste water. Waste water should be treated in a municipal or industrial waste water treatment plant before discharge to surface water. Local guidelines on emission limits for volatile substances must be observed for the discharge of exhaust air containing vapour.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	no data available
Colour	:	Not applicable

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S6 A 46

Versi 1.1	ion	Revision Date: 11/02/2020		S Number: 0010042389	Print Date: 04/29/2023 Date of last issue: 09/02/2020
	Odour ⁻	Threshold	:	Data not available	e
	pН		:	Not applicable	
	pour po	pint	:	Method: Unspeci Not applicable	fied
	Initial b range	oiling point and boiling	:	> 280 °C / 536 °F estimated value(s	
	Flash p	oint	:	260 °C / 500 °F	
				Method: ASTM D	992 (COC)
	Evapora	ation rate	:	Data not available	e
	Flamma	ability (solid, gas)	:	Data not available	e
		explosion limit / upper bility limit	:	Typical 10 %(V)	
		explosion limit / Lower bility limit	:	Typical 1 %(V)	
	Vapour	pressure	:	< 0.5 Pa (20 °C /	68 °F)
				estimated value(s	5)
	Relative	e vapour density	:	> 1 estimated value(s	5)
	Relative	e density	:	0.991 (15.0 °C / 8	59.0 °F)
	Density	,	:	0.991 g/cm3 (15. Method: ASTM D	
	Solubili Wat	ty(ies) er solubility	:	negligible	
	Solu	bility in other solvents	:	Data not available	e
	Partition octanol	n coefficient: n- /water	:	log Pow: > 6 (based on inform	ation on similar products)
	Auto-ig	nition temperature	:	> 320 °C / 608 °F	-
	Decom	position temperature	:	Data not available	e
	Viscosi Visc	ty osity, dynamic	:	Data not availabl	e
	Visc	osity, kinematic	:	40.6 mm2/s (40.0) °C / 104.0 °F)
				Method: ASTM D	0445

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S6 A 46

Versio 1.1	n Revision Date: 11/02/2020		S Number: 0010042389	Print Date: 04/29/2023 Date of last issue: 09/02/2020
			8 mm2/s (100 °C	: / 212 °F)
			Method: ASTM [0445
E	xplosive properties	:	Not classified	
0	xidizing properties	:	Data not availab	e
С	onductivity	:	This material is r	ot expected to be a static accumulator.
SECT	ION 10. STABILITY AND RE	EAC	ΤΙVITY	
R	eactivity	:		s not pose any further reactivity hazards in listed in the following sub-paragraph.
С	hemical stability	:	Stable.	
	ossibility of hazardous reac- ons	:	Reacts with stror	ng oxidising agents.
С	onditions to avoid	:	Extremes of tem	perature and direct sunlight.
In	compatible materials	:	Strong oxidising	agents.
	azardous decomposition roducts	:	No decompositio	n if stored and applied as directed.
SECT	ION 11. TOXICOLOGICAL I	NFO	RMATION	
В	asis for assessment	:	the toxicology of s the data presente	is based on data on the components and similar products.Unless indicated otherwise, d is representative of the product as a n for individual component(s).

Information on likely routes of exposure

Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.

Acute toxicity

Product:	
Acute oral toxicity	LD50 (rat): > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.
Acute inhalation toxicity	Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity	LD50 (Rabbit): > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S6 A 46

Version	Revision Date:	SDS Number:	Pr
1.1	11/02/2020	800010042389	Da

Print Date: 04/29/2023 Date of last issue: 09/02/2020

Skin corrosion/irritation

Product:

Remarks: Slightly irritating to skin., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis., Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Product:

Remarks: Slightly irritating to the eye., Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Product:

Remarks: Not a skin sensitiser. Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
ΝΤΡ	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Denne ductive terrisiter	

Reproductive toxicity

Product:

Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S6 A 46

Version	Revision Date:	SDS Number:	Prin
1.1	11/02/2020	800010042389	Date

Print Date: 04/29/2023 Date of last issue: 09/02/2020

STOT - single exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

STOT - repeated exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

Aspiration toxicity

Product:

Not an aspiration hazard.

Further information

Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Slightly irritating to respiratory system.

SECTION 12. ECOLOGICAL INFORMATION

Basis for assessment	:	Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representa- tive of the product as a whole, rather than for individual com- ponent(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).
Ecotoxicity		
<u>Product:</u> Toxicity to fish (Acute toxici- ty)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to daphnia and other aquatic invertebrates (Acute toxicity)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to algae (Acute tox-	:	

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S6 A 46

Vers 1.1	ion	Revision Date: 11/02/2020		S Number: 0010042389	Print Date: 04/29/2023 Date of last issue: 09/02/2020
	icity)			Remarks: LL/EL/II Practically non toy Based on availabl	5
	Toxicity icity)	to fish (Chronic tox-	:	Remarks: Data no	ot available
		to daphnia and other invertebrates (Chron- ty)	:	Remarks: Data no	ot available
	Toxicity (Acute t	to microorganisms toxicity)	:	Remarks: Data no	ot available
	Persist	ence and degradabili	ity		
	Produc	: <u>t:</u>			
	Biodegr	-adability	:	Major constituents components that in Persistent per IMO International Oil P tion: "A non-persis consists of hydroc by volume, distills at least 95% of wh	rollution Compensation (IOPC) Fund defini- stent oil is oil, which, at the time of shipment, carbon fractions, (a) at least 50% of which, at a temperature of 340°C (645°F) and (b) nich, by volume, distils at a temperature of en tested by the ASTM Method D-86/78 or
	Bioacc	umulative potential			
	Produc	:t:			
		umulation	:	Remarks: Contain cumulate.	is components with the potential to bioac-
	Mobility	y in soil			
	Produc Mobility		:		under most environmental conditions. vill adsorb to soil particles and will not be
				Remarks: Floats of	on water.
	Other a	dverse effects			
	Produc	<u>:t:</u>			
		nal ecological infor-	:	ozone creation po Product is a mixtu	one depletion potential, photochemical itential or global warming potential. Ire of non-volatile components, which will not in any significant quantities under normal

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S6 A 46

Version	Revision Date:
1.1	11/02/2020

SDS Number: 800010042389

Print Date: 04/29/2023 Date of last issue: 09/02/2020

Poorly soluble mixture. Causes physical fouling of aquatic organisms.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues :	Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Do not dispose into the environment, in drains or in water courses Do not dispose of tank water bottoms by allowing them to drain into the ground. This will result in soil and groundwater contamination. Waste arising from a spillage or tank cleaning should be disposed of in accordance with prevailing regulations, preferably to a recognised collector or contractor. The competence of the collector or contractor should be established beforehand.
Contaminated packaging :	Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.
Local legislation Remarks :	Disposal should be in accordance with applicable regional, national, and local laws and regulations.

SECTION 14. TRANSPORT INFORMATION

National Regulations

US Department of Transportation Classification (49 CFR Parts 171-180)

Not regulated as a dangerous good

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied. MARPOL Annex 1 rules apply for bulk shipments by sea.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S6 A 46

Version	Revision Date:	SDS Number:	Print Date: 04/29/2023
1.1	11/02/2020	800010042389	Date of last issue: 09/02/2020

Special precautions for user

Remarks

: Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

*: This material does not contain any components with a CERCLA RQ., Shell classifies this material as an "oil" under the CERCLA Petroleum Exclusion, therefore releases to the environment are not reportable under CERCLA.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazards
----------------------	---	-----------------

SARA 313

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Water Act

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

US State Regulations

Pennsylvania Right To Know

Propan-2-ol	67-63-0
Diphenylamine	122-39-4
distillates (petroleum), hydrotreated light	64742-47-8

California Prop. 65

WARNING: This product can expose you to chemicals including distillates (petroleum), hydrotreated light, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Other regulations:

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

EINECS	:	All components listed or polymer exempt.
TSCA	:	All components listed.
DSL	:	All components listed.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Shell Corena S6 A 46

Shell Corena S6 A 46

Version	Revision Date:
1.1	11/02/2020

SDS Number: 800010042389

Print Date: 04/29/2023 Date of last issue: 09/02/2020

SECTION 16. OTHER INFORMATION

Further information

NFPA Rating (Health, Fire, Reac- 0, 1, 0 tivity)

Full text of other abbreviations

Abbreviations and Acronyms : The standard abbreviations and acronyms used in this document can be looked up in reference literature (e.g. scientific dictionaries) and/or websites. ACGIH = American Conference of Governmental Industrial **Hygienists** ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road AICS = Australian Inventory of Chemical Substances ASTM = American Society for Testing and Materials BEL = Biological exposure limits BTEX = Benzene, Toluene, Ethylbenzene, Xylenes CAS = Chemical Abstracts Service CEFIC = European Chemical Industry Council CLP = Classification Packaging and Labelling COC = Cleveland Open-Cup DIN = Deutsches Institut fur Normung DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level DSL = Canada Domestic Substance List EC = European Commission EC50 = Effective Concentration fifty ECETOC = European Center on Ecotoxicology and Toxicology Of Chemicals ECHA = European Chemicals Agency EINECS = The European Inventory of Existing Commercial **Chemical Substances** EL50 = Effective Loading fifty ENCS = Japanese Existing and New Chemical Substances Inventorv EWC = European Waste Code GHS = Globally Harmonised System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer IATA = International Air Transport Association IC50 = Inhibitory Concentration fifty IL50 = Inhibitory Level fifty IMDG = International Maritime Dangerous Goods INV = Chinese Chemicals Inventory IP346 = Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics DMSO-extractables KECI = Korea Existing Chemicals Inventory LC50 = Lethal Concentration fifty LD50 = Lethal Dose fifty per cent.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S6 A 46

Version	Revision Date:	SDS Number:	Print Date: 04/29/2023
1.1	11/02/2020	800010042389	Date of last issue: 09/02/2020
		LL50 = Lethal L MARPOL = Inte Pollution From NOEC/NOEL = served Effect L OE_HPV = Ocd PBT = Persiste PICCS = Philip Substances PNEC = Predic REACH = Regi Chemicals RID = Regulatid gerous Goods I SKIN_DES = S STEL = Short to TRA = Targeted TSCA = US To TWA = Time-W	ernational Convention for the Prevention of Ships No Observed Effect Concentration / No Ob- evel cupational Exposure - High Production Volume nt, Bioaccumulative and Toxic pine Inventory of Chemicals and Chemical ted No Effect Concentration stration Evaluation And Authorisation Of

A vertical bar (|) in the left margin indicates an amendment from the previous version.

Sources of key data used to compile the Safety Data Sheet	:	The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).
---	---	--

Revision Date : 11/02/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN